www.LightingAtlanta.org

PRODUCT DESCRIPTION:

The LED panel light is designed as high quality, energyefficient replacements for up to 120-watt traditional Fluorescent lights. New constant current driver provides stable and high accuracy current to insure the performance and the life of LEDs.

Application:

Office, school, retail, medical, clean room (sealed), hospital and many other interior applications.

FEATURES:


- Input voltage is AC100V-277V
- Low thermal decay
- <u>3 step power dimming: 100%, 75% & 50% or 0-</u> <u>10V dimming</u>

Page: 1 of 2

Panel 50W Specifications

LD-24IPL-50WDxxK





Panel 50W Specifications

SPECIFICATIONS:

•

Page: 2 of 2

| SPECIFICATION | Details |
|-----------------------|-------------------------------|
| Model | LD-24IPL-50WD40K |
| Input Wattage (W) | 50W |
| Lumens Delivered (LM) | 6,452.2LM |
| Efficacy (LM/W) | 128.25LM/W |
| CRI | 83.5 |
| Lifespan | 50,000 hours |
| Color Temperature | 4,000K |
| Wattage Equivalent | 200W |
| Dimmable | Yes |
| IP Rating | IP54 |
| Beam Angle | 120 |
| Input Voltage | AC120-277V |
| Power Factor | 0.9145 |
| Housing | Aluminum |
| Lens | Frosted |
| Mounting | Surface Mount |
| Size | 48" x 24" |
| THD | 14.06% |
| Certification | ETL & DLC |
| Operating Temperature | -20°C to 50°C (-4°F to 122°F) |
| Environment | Indoor |
| Warranty | 5 years limited |



Phone: 770-317-9191 | Web: www.LightingAtlanta.org | E-mail: info@LightingAtlanta.org